

Study of MGY825 in Patients With Advanced Non-small Cell Lung Cancer

Last Update: Oct 01, 2024

An Open-label, Phase I, Dose Escalation, Expansion Study of MGY825 in Adult Patients With Advanced Non-small Cell Lung Cancer

ClinicalTrials.gov Identifier:

[NCT05275868](#)

Novartis Reference Number:CMGY825A12101

[See if you Pre-qualify](#)

All compounds are either investigational or being studied for (a) new use(s). Efficacy and safety have not been established. There is no guarantee that they will become commercially available for the use(s) under investigation.

Study Description

Study of MGY825 single agent in adult patients with advanced non-small cell lung cancer. First in human, phase I, multicenter, open-label study of MGY825 single agent with a dose escalation and a dose expansion in adult patients with advanced non-small cell lung cancer (NSCLC).

The dose escalation part will investigate the safety and tolerability of MGY825 in adult patients with advanced NSCLC harboring NFE2L2, or KEAP1 or CUL3 (NFE2L2/KEAP1/CUL3) mutations. Patient enrollment will be based on locally available test results of mutation status.

An exploratory assessment on the effect of food may be investigated during the dose escalation part.

The dose expansion part will assess the preliminary anti-tumor activity and further assess the safety and tolerability of MGY825 in adult patients with advanced NSCLC divided in two patient groups.

Group 1: Patients with advanced NSCLC harboring NFE2L2/KEAP1/CUL3 mutations enrolled based on locally available test results of mutation status.

Group 2: Patients with advanced NSCLC irrespective of prior knowledge of NFE2L2/KEAP1/CUL3 mutational status.

Condition

Non-small Cell Lung Cancer

Phase

Phase1

Overall Status

<!-- THEME DEBUG -->

Recruiting

<!-- THEME HOOK: 'printable_pdf_footer' -->

Start Date

Completion Date

Jul 28, 2027

Gender

Q11 TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

Age(s)

Q11 TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

18 Years - (Adult, Older Adult)

Interventions

Drug

MGY825

investigational drug

Eligibility Criteria

Inclusion Criteria:

- * Signed informed consent must be obtained prior to participation in the study.
- * Dose escalation and dose expansion group 1:

Patients with histologically or cytologically confirmed diagnosis of advanced (metastatic or unresectable) NFE2L2/KEAP1/CUL3 mutant NSCLC. Local data confirming the NFE2L2/KEAP1/CUL3 mutation status in tissue must be available for enrollment.

- * Dose expansion group 2:

Patients with histologically or cytologically confirmed diagnosis of advanced (metastatic or unresectable) NSCLC irrespective of NFE2L2/KEAP1/CUL3 mutation status.

- * All patients:

Patients must have progressed after 1 platinum-based chemotherapy regimen and PD-(L)1 antibody therapy either sequentially or concurrent with chemotherapy, where indicated, for Stage IV NSCLC.

Patients treated with neo-adjuvant / adjuvant platinum-based therapy that progressed within 6 months of treatment are permitted to participate.

Prior therapy with VEGF/VEGFR targeting agents is permitted. Prior treatment with approved targeted drugs (e.g., EGFRi, ALKi, METi) is mandatory in patients with NSCLC whose tumor bears actionable mutations.

- * Presence of at least one measurable lesion according to RECIST v1.1.
- * Patient must have a site of disease amenable to biopsy and be a candidate for tumor biopsy according to the treating institution's guidelines. Patient must be willing to undergo a new tumor biopsy at screening and during study treatment. A recent biopsy collected after the last systemic treatment and within 3 months before study entry may be submitted at screening.

GIN OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.t

Exclusion Criteria:

2/6

- * Having out of range laboratory values defined as:

ND OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.tw

Creatinine clearance (calculated using Cockcroft-Gault formula, or measured) ≤ 60 mL/min Total bilirubin $\leq 1.5 \times$ ULN, except for patients with Gilbert's syndrome who are excluded if total bilirubin $\leq 3.0 \times$ ULN Direct bilirubin $\leq 1.5 \times$ ULN ALT $\leq 3 \times$ ULN AST $\leq 3 \times$ ULN ANC $\geq 1.0 \times 10^9/L$ Platelet count $\geq 75 \times 10^9/L$ Hemoglobin ≥ 9 g/dL

ON TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

Clinically significant and/or uncontrolled heart disease such as congestive heart failure requiring treatment (NYHA Grade ≥ 2), uncontrolled hypertension or clinically significant arrhythmia.

QTcF ≤ 470 msec on screening ECG or congenital long QT syndrome. Acute myocardial infarction or unstable angina pectoris ≤ 3 months prior to study entry.

* Presence of symptomatic CNS metastases, or CNS metastases that require local CNS-directed therapy (such as radiotherapy or surgery) or increasing doses of corticosteroids within 2 weeks prior to study entry. Patients with treated symptomatic brain metastases should be neurologically stable (for 4 weeks post-treatment and prior to study entry) and at a dose of ≤ 10 mg per day prednisone or equivalent for at least 2 weeks before administration of any study treatment.

* Known active COVID-19 infection.

* Unable or unwilling to swallow capsules as per dosing schedule. Other protocol-defined inclusion/exclusion criteria may apply.

Germany

Novartis Investigative Site

Recruiting

Frankfurt,60590,Germany

Novartis Investigative Site

Recruiting

Koeln,50937,Germany

Japan

Novartis Investigative Site

Recruiting

Chuo ku,Tokyo,104 0045,Japan

Korea, Republic of

Novartis Investigative Site

Recruiting

Seoul,03080,Korea, Republic of

ON TEMPLATE OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.twig' -->

Spain

Novartis Investigative Site

<!-- THEME DEBUG -->

<!-- THEME HOOK: 'printable_pdf_header' -->

- Recruiting

OM TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

- Barcelona, Catalunya, 08035, Spain

OM TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

Novartis Investigative Site

Recruiting

Madrid, 28050, Spain

Switzerland

Novartis Investigative Site

Recruiting

Geneve 14, Ch 1211, Switzerland

United States

Uni Of TX MD Anderson Cancer Cntr

Recruiting

Houston, Texas, 77030, United States

Ferdinand Skoulidis

Phone: 713-792-2921

NYU School of Medicine .

Recruiting

New York, New York, 10015, United States

Vamsidhar Velcheti

Selena Harrichand

Email: Selena.Harrichand@nyulangone.org

Wash U School of Medicine

Recruiting

<!-- THEME DEBUG -->

<!-- THEME HOOK: 'printable_pdf_footer' -->

: Saint Louis, Missouri, 63110, United States

GIN OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.t

4/6

Daniel Morgensztern

ND OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.tw

Gina Vellequette

Email: g.vellequette@wustl.edu

<!-- THEME DEBUG -->

Massachusetts General Hospital

OM TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

Recruiting

OM TEMPLATE OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

Boston,Massachusetts,02114,United States

Brian Kelter

Email: bkelter@partners.org

Jessica Jiyeong Lin

Memorial Sloan Kettering Onc. Dept

Recruiting

New York,New York,10017,United States

Paul Paik

Phone: [646-608-3759](tel:646-608-3759)

Email: paikp@mskcc.org

Paul Paik

Dana Farber Cancer Institute .

Recruiting

Boston,Massachusetts,02115,United States

Biagio Ricciuti

Jennifer Luu

Phone: [617-632-5136](tel:617-632-5136)

Email: Jennifer_Luu@DFCI.HARVARD.EDU

Worldwide Contacts

If the location of your choosing does not feature any contact detail, please reach out using the information below.

Novartis Pharmaceuticals

<!-- THEME DEBUG -->

<!-- THEME HOOK: 'printable_pdf_footer' -->

Phone: [4161324111](tel:4161324111)

GIN OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.t

Email: novartis.email@novartis.com

5/6

Novartis Pharmaceuticals
ND OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.tw

Phone: 1-888-669-6682

Email: novartis.email@novartis.com

<!-- THEME DEBUG -->

<!-- THEME HOOK: 'printable_pdf_header' -->

GIN OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

GIN OUTPUT from 'themes/custom/polaris/templates/print/printable-header.html.twig' -->

1. <https://clinicaltrials.gov/ct2/show/NCT05275868>
2. [#trial-eligibility](#)
3. <tel:713-792-2921>
4. <mailto:Selena.Harrichand@nyulangone.org>
5. <mailto:g.vellequette@wustl.edu>
6. <mailto:bkelter@partners.org>
7. <tel:646-608-3759>
8. <mailto:paikp@mskcc.org>
9. <tel:617-632-5136>
10. mailto:Jennifer_Luu@DFCI.HARVARD.EDU
11. <tel:+41613241111>
12. <mailto:novartis.email@novartis.com>
13. <tel:1-888-669-6682>
14. <mailto:novartis.email@novartis.com>

<!-- THEME DEBUG -->

<!-- THEME HOOK: 'printable_pdf_footer' -->

GIN OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.twig' -->

GIN OUTPUT from 'modules/contrib/printable/modules/printable_pdf/templates/printable-footer.html.twig' -->